


NISSAN NAVARA D23 NP300
2014-2020
PACKAGE CONTAINS



2 x cables



2 x inner plate



1 x drilling template

2 x outer bracket



6 x mounting bolt

1 x easy up strut
(passenger side)



1 x slow down strut
(driver side)



INSTALLATION INSTRUCTIONS

FOR NISSAN NAVARA D23 NP300

2014-2020

01

** Installation begins from the Driver Side **

Remove cable bolt from the tub



02

Remove cable bolt from the tailgate



03

Bolt on the drilling template as shown



04

Mark the three holes as shown



INSTALLATION INSTRUCTIONS

FOR NISSAN NAVARA D23 NP300

2014-2020

05

Remove the template
Re-drill the three holes to 10mm

Tips: Drill smaller holes first to help locate the bit



06

Remove the tailgate access panel
Place the backing plate inside the tailgate



07

Now bolt the outer bracket on
Using the two holes furthest
from the tub
(The 3rd bolt will be installed
later in step 11)



08

Remove the lower striker bolt from the
tub



INSTALLATION INSTRUCTIONS

FOR NISSAN NAVARA D23NP300

2014-2020


09

Install the strut and new cable provided as shown
(Place the new cable on first)



10

Tighten the bolt as shown



11

Place the bottom of the strut over the tailgate bracket and screw in the 3rd bolt
(Make sure that the lip of the bracket sits under the plate)



12

Reinstall the cable bolt removed in step 2 (Place the cable on first)
Repeat the process on the passenger side for the Easy up strut (Remove the spacer once installed)

